

#12

RAW SEQUENCE LISTING

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) no errors detected.

Application Serial Number: 10/522,074A
Source: PT
Date Processed by STIC: 2/9/06

ENTERED



pet

RAW SEQUENCE LISTING

DATE: 02/09/2006

PATENT APPLICATION: US/10/522,074A

TIME: 12:20:20

Input Set : A:\PTO.KD.txt

Output Set: N:\CRF4\02012006\J522074A.raw

```

3 <110> APPLICANT: Sleep, Darrell
5 <120> TITLE OF INVENTION: Gene and Polypeptide Sequences
7 <130> FILE REFERENCE: P30,358 USA
9 <140> CURRENT APPLICATION NUMBER: US 10/522,074A
10 <141> CURRENT FILING DATE: 2005-01-21
12 <150> PRIOR APPLICATION NUMBER: PCT/GB2003/003273
13 <151> PRIOR FILING DATE: 2003-07-23
15 <150> PRIOR APPLICATION NUMBER: GB 0217033.0
16 <151> PRIOR FILING DATE: 2002-07-23
18 <160> NUMBER OF SEQ ID NOS: 40
20 <170> SOFTWARE: SeqWin99
22 <210> SEQ ID NO: 1
23 <211> LENGTH: 5
24 <212> TYPE: PRT
25 <213> ORGANISM: Artificial Sequence
27 <220> FEATURE:
28 <223> OTHER INFORMATION: Synthetic polypeptide leader sequence
30 <220> FEATURE:
31 <221> NAME/KEY: MISC_FEATURE
32 <222> LOCATION: 1
33 <223> OTHER INFORMATION: CAN BE EITHER Phe OR Trp OR Tyr
35 <220> FEATURE:
36 <221> NAME/KEY: MISC_FEATURE
37 <222> LOCATION: 2
38 <223> OTHER INFORMATION: CAN BE EITHER Ile OR Leu OR Val OR Ala OR Met
40 <220> FEATURE:
41 <221> NAME/KEY: MISC_FEATURE
42 <222> LOCATION: 3
43 <223> OTHER INFORMATION: CAN BE EITHER Leu OR Val OR Ala OR Met
45 <220> FEATURE:
46 <221> NAME/KEY: MISC_FEATURE
47 <222> LOCATION: 4
48 <223> OTHER INFORMATION: CAN BE EITHER Ser OR Thr
50 <220> FEATURE:
51 <221> NAME/KEY: MISC_FEATURE
52 <222> LOCATION: 5
53 <223> OTHER INFORMATION: CAN BE EITHER Ile OR Val OR Ala OR Met
55 <400> SEQUENCE: 1
-> 56 Xaa Xaa Xaa Xaa Xaa
57 1 5
59 <210> SEQ ID NO: 2
60 <211> LENGTH: 5
61 <212> TYPE: PRT

```

RAW SEQUENCE LISTING

DATE: 02/09/2006

PATENT APPLICATION: US/10/522,074A

TIME: 12:20:20

Input Set : A:\PTO.KD.txt

Output Set: N:\CRF4\02012006\J522074A.raw

```

62 <213> ORGANISM: Artificial Sequence
64 <220> FEATURE:
65 <223> OTHER INFORMATION: Synthetic polypeptide leader sequence
67 <220> FEATURE:
68 <221> NAME/KEY: MISC_FEATURE
69 <222> LOCATION: 2
70 <223> OTHER INFORMATION: CAN BE EITHER Ile OR Leu OR Val OR Ala OR Met
72 <220> FEATURE:
73 <221> NAME/KEY: MISC_FEATURE
74 <222> LOCATION: 3
75 <223> OTHER INFORMATION: CAN BE EITHER Leu OR Val OR Ala OR Met
77 <220> FEATURE:
78 <221> NAME/KEY: MISC_FEATURE
79 <222> LOCATION: 4
80 <223> OTHER INFORMATION: CAN BE EITHER Ser OR Thr
82 <220> FEATURE:
83 <221> NAME/KEY: MISC_FEATURE
84 <222> LOCATION: 5
85 <223> OTHER INFORMATION: CAN BE EITHER Ile OR Val OR Ala OR Met
87 <400> SEQUENCE: 2
-> 88 Phe Xaa Xaa Xaa Xaa
89 1 5
91 <210> SEQ ID NO: 3
92 <211> LENGTH: 5
93 <212> TYPE: PRT
94 <213> ORGANISM: Artificial Sequence
96 <220> FEATURE:
97 <223> OTHER INFORMATION: Synthetic polypeptide leader sequence
99 <220> FEATURE:
100 <221> NAME/KEY: MISC_FEATURE
101 <222> LOCATION: 1
102 <223> OTHER INFORMATION: CAN BE EITHER Phe OR Trp OR Tyr
104 <220> FEATURE:
105 <221> NAME/KEY: MISC_FEATURE
106 <222> LOCATION: 3
107 <223> OTHER INFORMATION: CAN BE EITHER Leu OR Val OR Ala OR Met
109 <220> FEATURE:
110 <221> NAME/KEY: MISC_FEATURE
111 <222> LOCATION: 4
112 <223> OTHER INFORMATION: CAN BE EITHER Ser OR Thr
114 <220> FEATURE:
115 <221> NAME/KEY: MISC_FEATURE
116 <222> LOCATION: 5
117 <223> OTHER INFORMATION: CAN BE EITHER Ile OR Val OR Ala OR Met
119 <400> SEQUENCE: 3
-> 120 Xaa Ile Xaa Xaa Xaa
121 1 5
123 <210> SEQ ID NO: 4
124 <211> LENGTH: 5

```

RAW SEQUENCE LISTING

DATE: 02/09/2006

PATENT APPLICATION: US/10/522,074A

TIME: 12:20:20

Input Set : A:\PTO.KD.txt

Output Set: N:\CRF4\02012006\J522074A.raw

```

125 <212> TYPE: PRT
126 <213> ORGANISM: Artificial Sequence
128 <220> FEATURE:
129 <223> OTHER INFORMATION: Synthetic polypeptide leader sequence
131 <220> FEATURE:
132 <221> NAME/KEY: MISC_FEATURE
133 <222> LOCATION: 1
134 <223> OTHER INFORMATION: CAN BE EITHER Phe OR Trp OR Tyr
136 <220> FEATURE:
137 <221> NAME/KEY: MISC_FEATURE
138 <222> LOCATION: 2
139 <223> OTHER INFORMATION: CAN BE EITHER Ile OR Leu OR Val OR Ala OR Met
141 <220> FEATURE:
142 <221> NAME/KEY: MISC_FEATURE
143 <222> LOCATION: 4
144 <223> OTHER INFORMATION: CAN BE EITHER Ser OR Thr
146 <220> FEATURE:
147 <221> NAME/KEY: MISC_FEATURE
148 <222> LOCATION: 5
149 <223> OTHER INFORMATION: CAN BE EITHER Ile OR Val OR Ala OR Met
151 <400> SEQUENCE: 4
-> 152 Xaa Xaa Val Xaa Xaa
153 1 5
155 <210> SEQ ID NO: 5
156 <211> LENGTH: 5
157 <212> TYPE: PRT
158 <213> ORGANISM: Artificial Sequence
160 <220> FEATURE:
161 <223> OTHER INFORMATION: Synthetic polypeptide leader sequence
163 <220> FEATURE:
164 <221> NAME/KEY: MISC_FEATURE
165 <222> LOCATION: 1
166 <223> OTHER INFORMATION: CAN BE EITHER Phe OR Trp OR Tyr
168 <220> FEATURE:
169 <221> NAME/KEY: MISC_FEATURE
170 <222> LOCATION: 2
171 <223> OTHER INFORMATION: CAN BE EITHER Ile OR Leu OR Val OR Ala OR Met
173 <220> FEATURE:
174 <221> NAME/KEY: MISC_FEATURE
175 <222> LOCATION: 3
176 <223> OTHER INFORMATION: CAN BE EITHER Leu OR Val OR Ala OR Met
178 <220> FEATURE:
179 <221> NAME/KEY: MISC_FEATURE
180 <222> LOCATION: 5
181 <223> OTHER INFORMATION: CAN BE EITHER Ile OR Val OR Ala OR Met
183 <400> SEQUENCE: 5
-> 184 Xaa Xaa Xaa Ser Xaa
185 1 5
187 <210> SEQ ID NO: 6

```

RAW SEQUENCE LISTING

DATE: 02/09/2006

PATENT APPLICATION: US/10/522,074A

TIME: 12:20:20

Input Set : A:\PTO.KD.txt

Output Set: N:\CRF4\02012006\J522074A.raw

```

188 <211> LENGTH: 5
189 <212> TYPE: PRT
190 <213> ORGANISM: Artificial Sequence
192 <220> FEATURE:
193 <223> OTHER INFORMATION: Synthetic polypeptide leader sequence
195 <220> FEATURE:
196 <221> NAME/KEY: MISC_FEATURE
197 <222> LOCATION: 1
198 <223> OTHER INFORMATION: CAN BE EITHER Phe OR Trp OR Tyr
200 <220> FEATURE:
201 <221> NAME/KEY: MISC_FEATURE
202 <222> LOCATION: 2
203 <223> OTHER INFORMATION: CAN BE EITHER Ile OR Leu OR Val OR Ala OR Met
205 <220> FEATURE:
206 <221> NAME/KEY: MISC_FEATURE
207 <222> LOCATION: 3
208 <223> OTHER INFORMATION: CAN BE EITHER Leu OR Val OR Ala OR Met
210 <220> FEATURE:
211 <221> NAME/KEY: MISC_FEATURE
212 <222> LOCATION: 4
213 <223> OTHER INFORMATION: CAN BE EITHER Ser OR Thr
215 <400> SEQUENCE: 6
-> 216 Xaa Xaa Xaa Xaa Ile
217 1 5
219 <210> SEQ ID NO: 7
220 <211> LENGTH: 5
221 <212> TYPE: PRT
222 <213> ORGANISM: Artificial Sequence
224 <220> FEATURE:
225 <223> OTHER INFORMATION: Synthetic polypeptide leader sequence
227 <400> SEQUENCE: 7
228 Phe Ile Val Ser Ile
229 1 5
231 <210> SEQ ID NO: 8
232 <211> LENGTH: 4
233 <212> TYPE: PRT
234 <213> ORGANISM: Artificial Sequence
236 <220> FEATURE:
237 <223> OTHER INFORMATION: Synthetic polypeptide secretion pre-sequence
239 <400> SEQUENCE: 8
240 Met Lys Trp Val
241 1
243 <210> SEQ ID NO: 9
244 <211> LENGTH: 9
245 <212> TYPE: PRT
246 <213> ORGANISM: Artificial Sequence
248 <220> FEATURE:
249 <223> OTHER INFORMATION: Synthetic polypeptide secretion pre-sequence
251 <400> SEQUENCE: 9

```

RAW SEQUENCE LISTING

DATE: 02/09/2006

PATENT APPLICATION: US/10/522,074A

TIME: 12:20:20

Input Set : A:\PTO.KD.txt

Output Set: N:\CRF4\02012006\J522074A.raw

252 Leu Phe Leu Phe Ser Ser Ala Tyr Ser

253 1 5

255 <210> SEQ ID NO: 10

256 <211> LENGTH: 9

257 <212> TYPE: PRT

258 <213> ORGANISM: Artificial Sequence

260 <220> FEATURE:

261 <223> OTHER INFORMATION: Synthetic polypeptide secretion pre-sequence

263 <220> FEATURE:

264 <221> NAME/KEY: MISC_FEATURE

265 <222> LOCATION: 1

266 <223> OTHER INFORMATION: CAN BE EITHER Ile OR Leu OR Val OR Ala OR Met

268 <220> FEATURE:

269 <221> NAME/KEY: MISC_FEATURE

270 <222> LOCATION: 2

271 <223> OTHER INFORMATION: CAN BE EITHER Phe OR Trp OR Tyr

273 <220> FEATURE:

274 <221> NAME/KEY: MISC_FEATURE

275 <222> LOCATION: 3

276 <223> OTHER INFORMATION: CAN BE EITHER Ile OR Leu OR Val OR Ala OR Met

278 <220> FEATURE:

279 <221> NAME/KEY: MISC_FEATURE

280 <222> LOCATION: 4

281 <223> OTHER INFORMATION: CAN BE EITHER Phe OR Trp OR Tyr

283 <220> FEATURE:

284 <221> NAME/KEY: MISC_FEATURE

285 <222> LOCATION: 5

286 <223> OTHER INFORMATION: CAN BE EITHER Ser OR Thr OR Gly OR Tyr OR Ala

288 <220> FEATURE:

289 <221> NAME/KEY: MISC_FEATURE

290 <222> LOCATION: 6

291 <223> OTHER INFORMATION: CAN BE EITHER Ser OR Thr OR Gly OR Tyr OR Ala

293 <220> FEATURE:

294 <221> NAME/KEY: MISC_FEATURE

295 <222> LOCATION: 7

296 <223> OTHER INFORMATION: CAN BE EITHER Ile OR Leu OR Val OR Ala OR Met

298 <220> FEATURE:

299 <221> NAME/KEY: MISC_FEATURE

300 <222> LOCATION: 8

301 <223> OTHER INFORMATION: CAN BE EITHER Phe OR Trp OR Tyr

303 <220> FEATURE:

304 <221> NAME/KEY: MISC_FEATURE

305 <222> LOCATION: 9

306 <223> OTHER INFORMATION: CAN BE EITHER Ser OR Thr OR Gly OR Tyr OR Ala

308 <400> SEQUENCE: 10

-> 309 Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa

310 1 5

312 <210> SEQ ID NO: 11

313 <211> LENGTH: 15

RAW SEQUENCE LISTING ERROR SUMMARY
PATENT APPLICATION: US/10/522,074A

DATE: 02/09/2006
TIME: 12:20:21

Input Set : A:\PTO.KD.txt

Output Set: N:\CRF4\02012006\J522074A.raw

Page Note:

One or more of n and/or Xaa have been detected in the Sequence Listing. Please review the Sequence Listing to ensure that a corresponding explanation is presented in the <220> <223> fields of each sequence which presents at least one n or Xaa.

Seq#:1; Xaa Pos. 1,2,3,4,5 ✓
Seq#:2; Xaa Pos. 2,3,4,5 ✓
Seq#:3; Xaa Pos. 1,3,4,5 ✓
Seq#:4; Xaa Pos. 1,2,4,5 ✓
Seq#:5; Xaa Pos. 1,2,3,5 ✓
Seq#:6; Xaa Pos. 1,2,3,4 ✓
Seq#:10; Xaa Pos. 1,2,3,4,5,6,7,8,9 ✓
Seq#:12; Xaa Pos. 5,6,7,8,9 ✓
Seq#:13; Xaa Pos. 5,6,7,8,9 ✓
Seq#:14; Xaa Pos. 5,6,7,8,9 ✓
Seq#:15; N Pos. 2,3,4,5,6,7,8,9,10,11,12,13,14,15
Seq#:16; N Pos. 9,10,11,12
Seq#:17; N Pos. 2,3,4,5,6,7,8,9,10,13,14,15
Seq#:29; Xaa Pos. 1,2,3,5
Seq#:31; Xaa Pos. 5,6,7,8,9
Seq#:33; Xaa Pos. 2,3,4

VERIFICATION SUMMARY

DATE: 02/09/2006

PATENT APPLICATION: US/10/522,074A

TIME: 12:20:21

Input Set : A:\PTO.KD.txt

Output Set: N:\CRF4\02012006\J522074A.raw

56 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1 after pos.:0
38 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:2 after pos.:0
120 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3 after pos.:0
152 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:4 after pos.:0
184 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:5 after pos.:0
216 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:6 after pos.:0
309 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:10 after pos.:0
358 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:12 after pos.:0
398 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:13 after pos.:0
438 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:14 after pos.:0
483 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:15 after pos.:0
504 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:16 after pos.:0
540 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:17 after pos.:0
581 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:29 after pos.:0
630 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:31 after pos.:0
675 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:33 after pos.:0